

UCF



Stands For Opportunity

CDA6530: Performance Models of Computers and Networks

***Chapter 4: Using Matlab for Performance
Analysis and Simulation***

Objective

- ❑ Learn a useful tool for mathematical analysis and simulation
 - ❑ Interpreted language, easy to learn
- ❑ Use it to facilitate our simulation projects
- ❑ A good tool to plot simulation/experiment results figures for academic papers
 - ❑ More powerful than excel
 - ❑ Could directly create .eps for Latex

Introduction

- ❑ **MatLab : Matrix Laboratory**
- ❑ **Numerical Computations with matrices**
 - ❑ *Every number can be represented as matrix*
- ❑ **Why Matlab?**
 - ❑ User Friendly (GUI)
 - ❑ Easy to work with
 - ❑ Powerful tools for complex mathematics
- ❑ **Matlab has extensive demo and tutorials to learn by yourself**
 - ❑ Use help command

Matlab Software Access

- ❑ all UCF in-campus computers have student-version Matlab installed
- ❑ If you have no access to Matlab, you can use **Octave**, an open-source free software
 - ❑ <http://www.gnu.org/software/octave/>
- ❑ The programming should be almost identical

Matrices in Matlab

- To enter a matrix

```
2 5 3
6 4 1
```

```
>> A = [2 5 3; 6 4 1]
```

```
>> B = [1:1.5:6; 2 3 4 5]
```

```
>> for i=1:4
```

```
    for j=1:3
```

```
        C(i,j)=i*j;
```

```
    end
```

```
end
```

```
>> D = []; D=[D;5]; D=[D;6;7]
```

```
>> E = zeros(4, 5)
```

Basic Mathematical Operations

Remember that every variable can be a matrix!

Addition:

>> $C = A + B$

Subtraction:

>> $D = A - B$

Multiplication:

>> $E = A * B$ (Matrix multiplication)

>> $E = A .* B$ (Element wise multiplication, A and B same size)

Division:

Left Division and Right Division

>> $F = A ./ B$ (Element wise division)

>> $F = A / B = A * \text{inv}(B)$ (A * inverse of B)

>> $F = A . \setminus B$ (Element wise division)

>> $F = A \setminus B = \text{inv}(A) * B$ (inverse of A * B)

Generating basic matrices

Matrix with ZEROS:

>> A = zeros(m, n)

Matrix with ONES:

>> B = ones(m, n)

IDENTITY Matrix:

>> I = eye(m, n)

m → Rows

n → Columns

zeros, ones, eye → Matlab *functions*

Obtain Information

- ❑ $\text{Size}(A)$: return $[m \ n]$
- ❑ $\text{Length}(A)$: length of a vector
 - ❑ $\text{Length}(A) = \max(\text{size}(A))$
- ❑ $B = A(2:4, 3:5)$
 - ❑ B is the subset of A from row 2 to row 4, column 3 to column 5
- ❑ $A(:, 2) = []$
 - ❑ Delete second column

Basic Matrix Functions

- $\text{Inv}(A)$: inverse of A
- $\text{Rank}(A)$: rank of matrix A
- A' : transpose of A
- $\text{Det}(A)$: determinant
- $V = \text{eig}(A)$: eigenvalue vector of A
 - $[V, D] = \text{eig}(A)$ produces matrices of eigenvalues (D) and eigenvectors (V) of matrix A , so that $A*V = V*D$

Random Number Generators

- ❑ **Rand(m,n): matrix with each entry $\sim U(0,1)$**
 - ❑ You can use this for the programming project 1
- ❑ **Randn(m,n): standard normal distribution**
 - ❑ You cannot use this in programming project 1
 - ❑ You must use the polar method I introduced!

Basic 2-D Figure Plot

- ❑ **Plot(X, Y):**
 - ❑ Plots vector Y versus vector X
- ❑ **Hold:** next plot action on the same figure
- ❑ **Title('title text here')**
- ❑ **Xlabel('...'), ylabel('...')**
- ❑ **Axis([XMIN XMAX YMIN YMAX])**
- ❑ **Legend('...')**
- ❑ **Grid**

- ❑ **Example demo**

Elementary Math Function

- ❑ **Abs(), sign()**
 - ❑ $\text{Sign}(A) = A./\text{abs}(A)$
- ❑ **Sin(), cos(), asin(), acos()**
- ❑ **Exp(), log(), log10()**
- ❑ **Ceil(), floor()**
- ❑ **Sqrt()**
- ❑ **Real(), imag()**

Elementary Math Function

- ❑ **Vector operation:**
 - ❑ Max(), min(): max/min element of a vector
 - ❑ Mean(), median()
 - ❑ Std(), var(): standard deviation and variance
 - ❑ Sum(), prod(): sum/product of elements
 - ❑ Sort(): sort in ascending order

Save/Load Data

- ❑ **Save fname**
 - ❑ Save all workspace data into fname.mat
 - ❑ Save fname x y z
 - ❑ Save(fname): when fname is a variable
- ❑ **Load fname**
 - ❑ Load fname x y
- ❑ **No error in data**
- ❑ **You can run simulation intermittently**
 - ❑ Save/load data between runs

Input/Output for Text Files



- ❑ **Input data file for further analysis in Matlab**
 - ❑ Run simulation using C
 - ❑ matlab is slow in doing many loops
 - ❑ Use Matlab for post-data processing
 - ❑ Matrix calculation, utilize Matlab math functions
 - ❑ Simply use Matlab for figure plotting
 - ❑ Excel has constraint on data vector length (<300?)
- ❑ **Functions:**
 - ❑ [A,B...]= Textread(fname, format)
 - ❑ Read formatted data
 - ❑ Use fprintf(), fscanff() similar to C
 - ❑ Note that variables here can be vectors/matrices
 - ❑ Show examples here of writing data to text file

Advanced Graph

- ❑ **Subplot(m, n, p)**
 - ❑ breaks the Figure window into an m-by-n matrix of small axes, selects the p-th axes for the current plot, and returns the axis handle.
- ❑ **Semilogx(), semilogy(), loglog()**

3-D plot

- ❑ $x=[0:10]$; $y=[0:10]$; $z=x'*y$;
- ❑ `mesh(x,y,z); figure; surf(x,y,z);`



M-file

❑ Script or function

- ❑ Scripts are m-files containing MATLAB statements
- ❑ Functions are like any other m-file, but they accept arguments
- ❑ It is always recommended to name function file the same as the function name

```
function A = changeSign(B)
% change sign for each element
[m,n] = size(B); A = zeros(m,n);
for i=1:m
    for j=1:n
        A(i,j)= -B(i,j);
    end
end
return
```

Online Tutorials

- ❑ Matlab itself contains many tutorials
- ❑ Other online tutorials:
 - ❑ <http://www.math.siu.edu/matlab/tutorials.html>
 - ❑ http://www.cs.cmu.edu/~ggordon/780/lectures/matlab_tutorial.pdf
 - ❑ Google search “matlab tutorial ppt” to find a lot more

Example on Using Matlab for Markov Chain Steady State Calculation

- Discrete-time Markov Chain transition matrix:

$$\underline{P} = \begin{bmatrix} 0.512 & 0.384 & 0.008 & 0.096 \\ 0.32 & 0.48 & 0.02 & 0.18 \\ 0 & 0 & 0.5 & 0.5 \\ 0 & 0.4 & 0.1 & 0.5 \end{bmatrix}$$

- $\pi P = \pi$, $\pi [1 \ 1 \ 1 \dots 1]^T = 1$
 - $\pi (P - I) = 0$, But we cannot use it directly
 - Replace first column in $(P-I)$ with $[1 \ 1 \dots 1]^T$ to be A , then we can solve the linear equation set by $\pi = [1 \ 0 \ 0 \dots 0] A^{-1}$
- Another way: $P * P * P * P \dots$

Tutorial on Matlab Simulink

-
- ❑ **Graphical programming language**
 - ❑ Drag and draw line to program
 - ❑ Configure each object for parameters
 - ❑ **Powerful modeling tool**
 - ❑ Differential Equations
 - ❑ Physiological systems
 - ❑ Control systems
 - ❑ Transfer functions
 - ❑ **M-file can call a simulink model**
 - ❑ "sim fname"
 - ❑ Use current workspace variables
 - ❑ **Simulation results can be saved to workspace variables**
 - ❑ Thus can be process after simulink

Example: Internet Worm Propagation

$$\frac{dI(t)}{dt} = \frac{\eta}{\Omega} I(t) \cdot [N - I(t)]$$

- N : vulnerable population
- η : worm host average scan rate
- Ω : scanning IP space size

Example 2: RC Circuit




Fig. 1. The RC Circuit.

$$\dot{x} = \frac{1}{RC} [f(t) - x]$$

Transfer function:

$$X(s) = \frac{F(s)}{1 + RC \cdot s}$$

Save result to workspace variables

- ❑ the save format is "structure with time".
- ❑ Suppose the workspace variable is `X_t`.
- ❑ Then:
 - ❑ `X_t.time` saves the simulation step times (vector)
 - ❑ `X_t.signals.values` saves the simulation results (vector).
- ❑ `plot(X_t.time, X_t.signals.values);`
- ❑ Variable step simulation or fixed step simulation:
 - ❑ "to workspace" use "-1" for sample time (inherited)
 - ❑ Then `X_t.time` has variable size
 - ❑ "to workspace" use "1" for sample time
 - ❑ Then each time tick has one result value