

Topics in Pen-Based User Interfaces

Lecture #1: Introduction

Fall 2007

Joseph J. LaViola Jr.

Fall 2007

CAP 5937 – Topics in Pen-Based User Interfaces

©Joseph J. LaViola Jr.

Instructor

Professor – **Joseph J. LaViola Jr.**

Email – jjl@cs.ucf.edu

Office Hours – Tues. 4:30pm – 6:30pm

Wed. 5:45pm – 6:45pm

Office is Harris 321

Website will have all required info

www.eecs.ucf.edu/courses/cap5937/fall2007

Fall 2007

CAP 5937 – Topics in Pen-based User Interfaces

©Joseph J. LaViola Jr.


Class Goals

- Provide foundation for pen-based user interface research and development
- Learn to critique research papers
- Speaking and presentation skills
- Start of master's projects and PhD dissertations
- Possible publications
 - Advanced Visual Interfaces 2008
 - Sketch-based Interfaces and Modeling 2008
 - User Interface Software and Technology 2008
 - SIGGRAPH 2008

Reference Books



Recommended



Required

Grading

Assignment 1	10%
Assignment 2	10%
Assignment 3	10%
Assignment 4	10%
Paper reviewing	5%
Paper presentations	5%
Final Project	50%

Final Projects

- Encourage 2 person teams
- 6000 level students must have research component
- Everyone must write and get approved a project proposal
- Final Project write up required
- DEMO DAY!!!! – December 10, 2007
- More on Wednesday – August 22nd

Class Structure (see syllabus for details)

- Lectures
 - Fundamentals of pen computing
 - sketch-based interfaces
- Paper discussions
 - 3 or 4 papers
 - students must write 1-2 page reviews
- Student paper presentation
 - 20 minute presentation
- Final project update sessions

Tools

- Tablet PC lab – Harris 208
 - will meet there sometimes
 - 20 HP Tablet PCs
 - 1.83 GHz Dual Core
 - 2GB memory
 - Windows XP Tablet PC Edition
 - key access to room
- Visual Studio 2008
 - C#
 - Windows Presentation Foundation



Collaboration and Late Policy


- Collaboration encouraged
 - do your own work on assignments
 - cheating = BAD!!!
- All assignments must be handed in on time
 - Assignments – by 11:59pm on due date
 - Paper reviews – by 4:30pm on day of discussion

Sketching and Gestures

- What is Sketching?
 - to make a hasty or undetailed drawing or painting often made as a preliminary study (dictionary)
- What is a Gesture?
 - the act of moving the limbs or body as an expression of thought or emphasis (dictionary)
 - not focusing on this type of gesture
 - interested in 2D pen, finger, and mouse-based gestures
- Gestures are like simple sketches

Pen-Based Interfaces

- Interaction stylus (2D) or finger
- Strokes for the computer to interpret
 - commands (gestural UI)
 - drawings
 - symbols, words, mathematics
- Mimic pencil and paper
- Inference and ambiguity



(ChemPad 2007)

Fall 2007


CAP 5937 – Topics in Pen-based User Interfaces

©Joseph J. LaViola Jr.

Historical Perspective (60s and 70s)




SketchPad (Sutherland 1963)




Architecture-By-Yourself
(Weinzapfel & Negroponce 1976)



HUNCH
(Herot 1976)



Math Reco (Anderson 1967)



Logic Diagrams
(Sutherland 1966)

Fall 2007

CAP 5937 – Topics in Pen-based User Interfaces

©Joseph J. LaViola Jr.

Historical Perspective (80s and 90s)



Wang Freestyle (1988)




GRIDPad (1989)



PenWindows (1991)



GO +PenPoint (1991)



Slate (1992)



Newton (1993)



Palm Pilot's Graffiti (1994)



CrossPad (1999)



Anoto (1999)

Fall 2007

CAP 5937 – Topics in Pen-based User Interfaces

©Joseph J. LaViola Jr.

RIP – (adapted from Bill Buxton)

+

Freestyle

+

Grid

+

Pen for Windows

+

GO

+

Slate

+

Newton



Palm Pilot's Graffiti (1994)

+

Crosspad



Anoto (1999)

Fall 2007

CAP 5937 – Topics in Pen-based User Interfaces


©Joseph J. LaViola Jr.

Today

- Much improved hardware support
 - Tablet PC
 - Digitizers
 - Wacom Cintiq
 - Smartboard
- Much improved software support
 - Tablet SDK
 - handwriting recognition
 - speech recognition
 - character recognizers
- Better recognition algorithms
 - machine learning (use those cycles!)



A Sketch Input Continuum




Ambiguity level refers to sketch interpretation difficulty and domain generality

Pen-Based Applications


- 2D/3D Graphics
- UI Prototyping
- Animation
- Note Taking/Annotation
- Symbol/Word/Math Recognition
- Mathematical Sketching
- Etc...

Conceptual 2D Design



(Gross 1994)

Character and Mathematical Expression Recognition



$$\lambda(k, l) = \sqrt{(2l+1)^2 + (2k+1)^2}$$

$$A_{(k,l)}(x,y) = \frac{\sin((2l+1)\pi x) \sin((2k+1)\pi y)}{(2l+1)(2k+1)}$$

$$u(x,y,t) \cong \frac{1}{\pi^2} \sum_{k=0}^{40} \sum_{l=0}^{40} A_{(k,l)}(x,y) e^{-\lambda^2(k,l)t}$$

$t = 0 \dots 5$ $0 \leq x \leq 1$ $0 \leq y \leq 1$



$$X(t) = 2 \sin(t^2)$$

$$X(t) = 2 \sin(t^2)$$

Fall 2007


CAP 5937 – Topics in Pen-based User Interfaces

©Joseph J. LaViola Jr.


3D Modeling



SKETCH
(Zeleznik et al. 1996)



Parameterized Object Sketching
(Yang et al. 2005)



TEDDY
(Igarashi et al. 1999)

Fall 2007

CAP 5937 – Topics in Pen-based User Interfaces

©Joseph J. LaViola Jr.


Musical Score Creation



Music NotePad


(Forsberg et al. 1998)

User Interface Prototyping




SILK (Landay and Myers 1995)

Simulation




Sim-U-Sketch
(Kara and Stahovich 2004)




VibroSketch
(Kara et al. 2004)

Mathematical Sketching




(LaViola and Zeleznik 2004)




Electronic Whiteboard Systems

Tivoli
(Pedersen et al. 1993)



Flatland
(Mynatt et al. 1999)

Animation



Motion Doodles
(Thorne et al. 2004)

Pen UI Resources (1)

- Siggraph 2007 course notes
- EG Workshop on Sketch-Based Interfaces and Modeling
- Sketch-based interface project web pages
- Microsoft Center for Research on Pen-Centric Computing website
 - <http://graphics.cs.brown.edu/research/pcc/home.html>
- Various other conferences (UIST, CHI, SIGGRAPH)
- Check course website for links

Pen UI Resources (2)

Sketch Understanding

Papers from 2002 AAAI Spring Symposium
Randall Davis, James Landay, and Tom Stahovich, *Program Cochairs*
Technical Report SS-02-08
Published by The AAAI Press, Menlo Park, California
see <http://www.aaai.org/Library/Symposia/Spring/ss02-08.php>

Making Pen-Based Interaction Intelligent and Natural

Papers from the 2004 AAAI Fall Symposium
Randall Davis, James Landay, Tom Stahovich, Rob Miller, and
Eric Saund *Program Cochairs*
Technical Report FS-04-06
Published by The AAAI Press, Menlo Park, California
see <http://www.aaai.org/Library/Symposia/Fall/fs04-06.php>

Why Sketches and Gestures?

- Mimic pencil and paper
 - direct and natural for many tasks
 - familiar affordances
- Powerful and expressive
 - more freedom
 - can be faster
 - non-WIMP


Fall 2007

CAP 5937 – Topics in Pen-based User Interfaces

©Joseph J. LaViola Jr.

Key Issues – Recognition, Resolving Ambiguity, and Self-Disclosure

- Recognition
 - need to understand sketch components
- Ambiguity
 - deal with multiple interpretations
- Self-Disclosure
 - invisible interface (mostly gestural commands)





www.ueda.nl/earth/development.html

Fall 2007

CAP 5937 – Topics in Pen-based User Interfaces

©Joseph J. LaViola Jr.

Recognition




MathPad2

rationale.csail.mit.edu/project_earlyprocess.shtml

Resolving Ambiguity


- Difficult problem
- Focal point of research
- Many approaches
 - limiting the domain
 - underlying rules and knowledge
 - suggestive interface



Self-Disclosure

How do we interact with this application?


What are the commands?



How many commands are there?

Where do I begin?

Pen-Based Interface Dataflow



Representing Data

- Points and strokes

$$s = p_1 p_2 \dots p_n$$


where

$$p_i = (x_i, y_i, t_i), 1 \leq i \leq n$$

$$S = s_1 s_2 \dots s_m$$

- Image

- pixel matrix
- not as popular



Fall 2007

CAP 5937 – Topics in Pen-based User Interfaces

©Joseph J. LaViola Jr.

Preprocessing

- Often required to clean raw data

- Filtering and Smoothing


- Stroke Invariance

- scale
- position
- orientation

- Dehooking



Normal view of stroke



Zoomed in view of stroke showing unwanted cusps and self-intersections

Fall 2007

CAP 5937 – Topics in Pen-based User Interfaces

©Joseph J. LaViola Jr.

Segmentation

- Determine which strokes go together
- Determine which strokes should be apart
- Can be done in real-time or in batch
- Often uses proximity and timing information

$$y = \frac{1}{2} x^2$$
$$y = x^2 e^{-\frac{1}{2}t}$$

5 K 

Fall 2007

CAP 5937 – Topics in Pen-based User Interfaces

©Joseph J. LaViola Jr.

Feature Extraction and Analysis

- Want to distinguish sketch components from one another
- Good features are critical
- Extract important information
 - geometrical, statistical, contextual
- Examples include
 - arc length, histograms, cusps, aspect ratio
 - self-intersections, stroke area, etc...

Fall 2007

CAP 5937 – Topics in Pen-based User Interfaces

©Joseph J. LaViola Jr.

Classification

- Use features as input to a classification algorithm
 - recognize sketch components and gestures
- Can be simple as an FSA
- Commonly use machine learning algorithms
 - linear classifiers, neural networks, HMMs, SVMs
 - AdaBoost, K-means classifiers, etc...
- Algorithm choice dependent on problem

Fall 2007


CAP 5937 – Topics in Pen-based User Interfaces

©Joseph J. LaViola Jr.

Sketch Parsing

- Often recognition of strokes is insufficient
 - except for gestures
- Require an understanding of spatial relationships
 - good examples are mathematical expressions
- Higher level classifications
 - is it a word or a drawing?

$$y = \begin{cases} 5t & : x < \frac{1}{2} \\ t^2 & : \text{else} \end{cases}$$



www.engr.ucr.edu/~stahov/research/acsparc.htm

Fall 2007

CAP 5937 – Topics in Pen-based User Interfaces

©Joseph J. LaViola Jr.

Making Inferences

- Sketches are often insufficient for understanding
 - can be under- or over-constrained
- Can infer based on
 - context
 - domain knowledge
 - domain restrictions
 - stroke location

Fall 2007

CAP 5937 – Topics in Pen-based User Interfaces


©Joseph J. LaViola Jr.

Sketch Understanding

- Understanding a sketch/recognizing a gesture is only half the battle
- What do we do with it?



[VibroSketch](#) Sketch Understanding
(Kara, Gennari, Stahovich 2004)



[Kirchhoff's Pen](#) (de Silva et al. 2007)

Fall 2007

CAP 5937 – Topics in Pen-based User Interfaces

©Joseph J. LaViola Jr.

Next Class – Discussion

- Final Project Ideas
- Readings
 - Sutherland, I. SketchPad: A Man-Machine Graphical Communication System, Proceedings of AFIPS Spring Joint Computer Conference, 329-346, 1963.
 - Blackwell, F. and R. Anderson. An on-line symbolic mathematics system using hand-printed two-dimensional notation. Proceedings of the 1969 24th National Conference, 551-557, 1969.
 - Herot, C. Graphical Input Through Machine Recognition of Sketches, Proceedings of SIGGRAPH'76, 97-102, 1976.