

# Features Extraction for Sketch-Based Recognition


Lecture #9: Feature Extraction  
Joseph J. LaViola Jr.  
Fall 2013

Fall 2013

CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

## Recall Pen-Based Interface Dataflow



Fall 2013

CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

## Feature Extraction and Analysis

- What came first, the feature or the machine learning algorithm?
- Want to distinguish sketch components from one another
- Good features are critical
- Extract important information
  - geometrical, statistical, contextual
- Examples include
  - arc length, histograms, cusps, aspect ratio
  - self-intersections, stroke area, etc...

## Finding Features

- Challenging problem
  - need fast algorithms for gathering information
  - features must be good discriminators
- Often trial and error
- Can be domain specific


## Geometric Features (1)

### ■ Number of strokes

- if you know how many strokes a symbol has, you can break up your recognizer into pieces (i.e., recognizer for 1 stroke symbols, recognizer for 2 stroke symbols ...)

### ■ Cusps

- smooth vs. jagged strokes
- distance between cusps
  - useful for when cusps are close together/far apart



Fall 2013


CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

## Geometric Features (2)


### ■ Aspect ratio (width / height)

- tall vs. flat



### ■ Self Intersections

- loops vs. no loops
- strokes with write over
- distance between self intersections also useful
- use line segment intersection algorithm




Fall 2013

CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

## Geometric Features (3)

- First and last distance
  - Strokes where first and last points are close together vs. far apart
  - simple computation –  $\|p_n - p_1\|$
- Arc length
  - many different symbols have varying arc lengths
  - simple computation as well –



$$l = \sum_{i=2}^n \|p_i - p_{i-1}\|$$


## Geometric Features (4)

- Stroke area
  - area defined by the vectors created with the initial stroke point and consecutive stroke points.
  - good discriminator for straight vs. curved lines

Given  $\vec{u}_i = p_{i+1} - p_1$  and  $\vec{v}_i = p_{i+2} - p_1$

$$s_{area} = \sum_{i=1}^{n-2} \frac{1}{2} (\vec{u}_i \times \vec{v}_i) \cdot \text{sgn}(\vec{u}_i \times \vec{v}_i)$$

where  $\vec{u}_i \times \vec{v}_i$  is a scalar



## Geometric Features (5)

- Fit line feature
  - sophisticated approach to finding how close a stroke is to a straight line
  - finds a least-squares approximation to a line using principal components and then uses this approximation to find the distance of the projection of the stroke points onto the approximated line
  - outputs a value in [0,1]
- What is another name for this approach?

## Fit Line Feature Implementation

**Input:** A set of stroke points  $P$ .

**Output:** A distance measure


FITLINE( $P$ )

(1)	$x_1 \leftarrow \sum_{i=1}^n X(P_i)$	(18)	else
(2)	$y_1 \leftarrow \sum_{i=1}^n Y(P_i)$	(19)	if $xy_2 = 0$
(3)	$x_2 \leftarrow \sum_{i=1}^n X(P_i)^2$	(20)	$a \leftarrow b \leftarrow c \leftarrow 0$
(4)	$y_2 \leftarrow \sum_{i=1}^n Y(P_i)^2$	(21)	$error \leftarrow +\infty$
(5)	$xy_1 \leftarrow \sum_{i=1}^n X(P_i)Y(P_i)$	(22)	else
(6)	$x_3 \leftarrow x_2 - x_1^2/n$	(23)	$a \leftarrow 1$
(7)	$y_3 \leftarrow y_2 - y_1^2/n$	(24)	$b \leftarrow -1$
(8)	$xy_2 \leftarrow xy_1 - (x_1y_1)/n$	(25)	$mag \leftarrow \sqrt{a^2 + b^2}$
(9)	$rad \leftarrow \sqrt{(x_3 - y_3)^2 + 4xy_2}$	(26)	$c \leftarrow \frac{(-ax_1 - by_1)/n}{mag}$
(10)	$error \leftarrow (x_3 + y_3 - rad)/2$	(27)	$a \leftarrow \frac{a}{mag}$
(11)	$rms \leftarrow \sqrt{error/n}$	(28)	$b \leftarrow \frac{b}{mag}$
(12)	if $x_3 > y_3$	(29)	$min_1 \leftarrow +\infty$
(13)	$a \leftarrow -2xy_2$	(30)	$max_1 \leftarrow -\infty$
(14)	$b \leftarrow x_3 - y_3 + rad$	(31)	for $i=1$ to $n$
(15)	else if $x_3 < y_3$	(32)	$err \leftarrow aX(P_i) + bY(P_i) + c$
(16)	$a \leftarrow y_3 - x_3 + rad$	(33)	$pX \leftarrow X(P_i) - a \cdot err$
(17)	$b \leftarrow -2xy_2$	(34)	$pY \leftarrow Y(P_i) - b \cdot err$
		(35)	$ploc \leftarrow -b \cdot pX + b \cdot pY$
		(36)	$min_1 \leftarrow \min(min_1, ploc)$
		(37)	$max_1 \leftarrow \max(max_1, ploc)$
		(38)	return $\frac{100 \cdot rms}{max - min}$

## Statistical Features (1)

### ■ Side ratios

- first and last point of strokes have variable locations with respect to the bounding box
- Approach
  - take the x coordinates of the first and last point of a stroke
  - subtract them from the left side of the symbol's bounding box (i.e., the bounding box's leftmost x value)
  - divide by the bounding box width.



Fall 2013


CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

## Statistical Features (2)

### ■ Top and Bottom ratios

- similar to side ratios except we are dealing with y coordinate
- approach
  - take y coordinate of the first and last point of a stroke
  - subtract from the top of the symbol's bounding box (i.e., the bounding box's topmost y value)
  - these values are divided by the bounding box height.



Fall 2013


CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

## Statistical Features (3)

### ■ Point Histogram

- distribution of point locations in stroke bounding box
- discrimination where point concentrations are high
- approach
  - break up box into  $n \times m$  grid
  - Count number of points in each sub box
  - divide by total number of points



## Statistical Features (4)


### ■ Angle Histogram

- similar to point histogram except dealing with angles
- Approach

Given  $\vec{v}_j = p_i - p_{i-1}$  for  $2 \leq i \leq n$  and  $\vec{x} = (1,0)$

$$\alpha_j = \arccos \left( \frac{\vec{x} \cdot \vec{v}_j}{\|\vec{v}_j\|} \right)$$

- put angles into bins of  $n$  degrees




## The Rubine Feature Set (Rubine 1991)

- Part of Rubine's gesture recognition system

- we will see this next class

- Stroke

- $P$  = total number of points
- $p$  = middle point
- first point  $(x_0, y_0, t_0)$
- last point  $(x_{P-1}, y_{P-1}, t_{P-1})$
- compute  $x_{min}$ ,  $y_{min}$ ,  $x_{max}$ ,  $y_{max}$



Fall 2013


CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

## Feature $f_1$

- Cosine of starting angle

$$f_1 = \cos(\alpha) = \frac{(x_2 - x_0)}{\sqrt{(x_2 - x_0)^2 + (y_2 - y_0)^2}}$$



Fall 2013

CAP 6105 – Pen-Based User Interfaces


©Joseph J. LaViola Jr.



## Feature $f_2$

- Sine of starting angle

$$f_2 = \sin(\alpha) = \frac{(y_2 - y_0)}{\sqrt{(x_2 - x_0)^2 + (y_2 - y_0)^2}}$$



Fall 2013


CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

## Feature $f_3$

$$f_3 = \sqrt{(x_{\max} - x_{\min})^2 + (y_{\max} - y_{\min})^2}$$

- Length of diagonal of bounding box (gives an idea of the size of the bounding box)



Fall 2013


CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

## Feature $f_4$

- Angle of diagonal
- gives an idea of the shape of the bounding box (long, tall, square)


$$f_4 = \arctan\left(\frac{y_{\max} - y_{\min}}{x_{\max} - x_{\min}}\right)$$



## Feature $f_5$

$$f_5 = \sqrt{(x_{p-1} - x_0)^2 + (y_{p-1} - y_0)^2}$$


- Distance from start to end of stroke



## Feature $f_6$

- Cosine of ending angle

$$f_6 = \cos(\beta) = \frac{(x_{p-1} - x_0)}{f_5}$$



Fall 2013


CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

## Feature $f_7$

- Sine of ending angle

$$f_7 = \sin(\beta) = \frac{(x_{p-1} - x_0)}{f_5}$$



Fall 2013

CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

## More Definitions (before we continue)

Let  $\Delta x_p = x_{p+1} - x_p$  and  $\Delta y_p = y_{p+1} - y_p$


Let  $\theta_p = \arctan \frac{\Delta x_p \Delta y_{p-1} - \Delta x_{p-1} \Delta y_p}{\Delta x_p \Delta x_{p-1} + \Delta y_p \Delta y_{p-1}}$  Directional angle

Let  $\Delta t_p = t_{p+1} - t_p$  Time delta

## Feature $f_8$

- Total stroke length


$$f_8 = \sum_{p=0}^{P-2} \sqrt{\Delta x_p^2 + \Delta y_p^2}$$



## Feature $f_9$

- Total rotation (from start to end point)
- (not the same as  $\beta - \alpha$  – think of spirals)

$$f_9 = \sum_{p=1}^{P-2} \theta_p$$



Fall 2013


CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

## Feature $f_{10}$

- Absolute rotation
- How much does it move around

$$f_{10} = \sum_{p=1}^{P-2} |\theta_p|$$



Fall 2013


CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

## Feature $f_{11}$

- Rotation squared
- How smooth are the turns?
- Measure of sharpness

$$f_{11} = \sum_{p=1}^{P-2} \theta_p^2$$



Fall 2013


CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

## Feature $f_{12}$

- The maximum speed reached (squared)

$$f_{12} = \max_{p=0}^{P-2} \frac{\Delta x_p^2 + \Delta y_p^2}{\Delta t_p^2}$$



Fall 2013


CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

## Feature $f_{13}$

- Total time of stroke

$$f_{13} = t_{P-1} - t_0$$



## Readings

- LaViola, J., and Zeleznik, R. "A Practical Approach to Writer-Dependent Symbol Recognition Using a Writer-Independent Recognizer", IEEE Transactions on Pattern Analysis and Machine Intelligence, 29(11):1917-1926, November 2007.
- Blagojevic, R., Chang, S., and Plimmer, B. The Power of Automatic Feature Selection: Rubine on Steroids, In *Proceedings of the Seventh Eurographics/ACM Symposium on Sketch-Based Interfaces and Modeling 2010*, 79-86, June 2010.
- Wobbrock, J. O., Wilson, A. D., and Li, Y. 2007. Gestures without libraries, toolkits or training: a \$1 recognizer for user interface prototypes. In *Proceedings of the 20th Annual ACM Symposium on User Interface Software and Technology UIST '07*. ACM, New York, NY, 159-168.
- Li, Yang 2010. Protractor: a fast and accurate gesture recognizer. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '10)*. ACM, New York, NY, USA, 2169-2172, April 2010