3D User Interface Travel Techniques

Lecture #10: Travel Spring 2018 Joseph J. LaViola Jr.

Spring 2018

Introduction

- Travel: moving from current location to new target location or in the desired direction
- Wayfinding: cognitive process of determining and following a route between an origin and destination
- Techniques classified by metaphor:
 - Walking
 - Steering
 - Selection-based travel
 - Manipulation-based travel

Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality

3D Travel Tasks

- Exploration: browsing the environment with no explicit goal for movement
- Search: traveling to a specific goal or target location
 - Naïve search: the user does not know the position of the target or path in advance
 - Primed search: the user has visited the target before or has some knowledge of its position
- Maneuvering: small precise movements

Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola J

3D Travel Tasks

Additional Travel Task Characteristics

- Distance to be traveled
- Amount of curvature or number of turns in the path
- Visibility of the target from the starting location
- Number of DOF required for the movement
- Required accuracy of the movement
- Other primary tasks that take place during travel

Spring 2018

CAP6121 – 3D User Interfaces for Games and Virtual Reality

Classifications for 3D Travel

Technique Classifications

- Active versus passive
- Physical versus virtual
- Using task decomposition
- By metaphor

Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality


©Joseph J. LaViola J


Walking Metaphors

- Walking is the most natural travel technique
- But it's not always practical or feasible
 - Technological limitations
 - Space limitations
- Categories based on human gait
 - Full gait: involve biomechanics of full gait cycle
 - Partial gait: mimic only some biomechanics
 - Gait negation: negate the user's forward locomotion

Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality





Walking Metaphors

Gait Negation Techniques

- Treadmills
- Passive omnidirectional treadmills
- Active omnidirectional treadmills
- Low-friction surfaces
- Step-based devices



Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality

@ Joseph J. LaViola J


Steering Metaphors

- Most common virtual technique metaphor
- Steering refers to continuous control of the direction of motion by the user
- Travel direction is specified either
 - Through spatial interactions, or
 - With physical steering props

Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality





Selection-Based Travel Metaphors


- Depend on the user selecting either a target to travel to or a path to travel along
- Simplify travel by not requiring details
- Techniques take care of the actual movement
- Extremely easy to understand and use

Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jı

Selection-Based Travel Metaphors Target-Based Travel Techniques Representation-based Dual-target Spring 2018 CAP6121 – 3D User Interfaces for Games and Virtual Reality Cycloseph J. LaViola Jr.




Manipulation-Based Travel Metaphors

- Manipulate either the viewpoint or world
- Should be used when both travel and object manipulation tasks are frequent
- Ideally the same metaphor can be used for both travel and object manipulation

Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality



Manipulation-Based Travel Metaphors World Manipulation Techniques Single-point world manipulation Dual-point world manipulation Output CAP6121-3D User Interfaces for Games and Virtual Reality Dual-point World Manipulation Spring 2018 CAP6121-3D User Interfaces for Games and Virtual Reality Capable Spring 2018 CAP6121-3D User Interfaces for Games and Virtual Reality Capable Spring 2018 CAP6121-3D User Interfaces for Games and Virtual Reality Capable Spring 2018

Other Aspects of Travel Techniques

Viewpoint Orientation

- Head tracking
- Orbital viewing
- Nonisomorphic rotation
- Virtual sphere techniques

Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr

Other Aspects of Travel Techniques

Velocity Specification

- Discrete changes
- Continuous control
- Direct input
- Automated velocity

Spring 2018

CAP6121 – 3D User Interfaces for Games and Virtual Reality

Other Aspects of Travel Techniques

Vertical Travel

- Many techniques restrict travel to horizon
- Some techniques afford vertical travel
 - 3D steering
 - Virtual ladders
 - Virtual stairs

Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jı

Other Aspects of Travel Techniques

Semiautomated Travel

- The system provides general constraints
- The user moves within those constraints



Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality

Other Aspects of Travel Techniques Scaling the World Active scaling Automated scaling 1) Select 2) Grab 3) Manipulate 4) Release 4) Release CAP6121 – 3D User Interfaces for Games and Virtual Reality Cyoseph J. LaViola Jr.

Other Aspects of Travel Techniques

Travel Modes

- Most techniques use a single mode for travel
- Some techniques require additional modes to transition among different travel methods
- Modes should be:
 - Well integrated to allow easy transitions
 - Clearly distinguished to avoid unintentional travel

Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality

Other Aspects of Travel Techniques

Multiple Cameras

- Most techniques use a single camera for travel
- Some techniques incorporate different perspectives of multiple cameras
- **Examples**:
 - Through-the-lens
 - Transitioning to remote camera feeds
 - Snapshots of augmented scenes

Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola J.

Other Aspects of Travel Techniques

Nonphysical Input

- Not all travel techniques require physical input
- Brain-computer interfaces (BCIs) allow for travel by thinking about moving
- These interfaces require a great deal of time to train
- Else generically trained algorithms can be unresponsive and induce false positives

Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality

Wayfinding in 3D Environments

- Cognitive aspect of navigation
- Effectiveness depends on the number and quality of the wayfinding cues or aids provided
- Two types of wayfinding aids:
 - User-centered: make use of human perception
 - Environment-centered: depend on virtual world

Spring 2018

CAP6121 – 3D User Interfaces for Games and Virtual Reality

@ Joseph J. LaViola J


Wayfinding in 3D Environments

User-Centered Wayfinding Cues

- Field of view
- Motion cues
- Multisensory output
- Presence
- Search strategies

Spring 2018

CAP6121 – 3D User Interfaces for Games and Virtual Reality



Design Guidelines

- Match the travel technique to the application.
- Consider both natural and magic techniques.
- Use an appropriate combination of travel technique, display devices, and input devices.
- Choose travel techniques that can be easily integrated with other interaction techniques in the application.

Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality

Design Guidelines

- Provide multiple travel techniques to support different travel tasks in the same application.
- Make simple travel tasks easier by using target-based techniques for goal-oriented travel and steering techniques for exploration and search.
- Use a physical locomotion technique if user exertion or naturalism is required.

Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola J

Design Guidelines

- The most common travel tasks should require a minimum amount of effort from the user.
- Use high-speed transitional motions, not instant teleportation, if overall environment context is important.
- Train users in sophisticated strategies to help them acquire survey knowledge.
- If a map is used, provide a you-are-here marker.

Spring 2018

CAP6121 – 3D User Interfaces for Games and Virtual Reality

Case Studies

VR Gaming Case Study

- Rotating bookshelf allows the user to walk between rooms
- Virtual elevators allow for vertical travel
- Key concepts:
 - Natural physical movements for navigation can enhance the sense of presence.
 - Even with a limited tracking area, consider ways to allow and encourage the use of a physical walking metaphor.
 - If the application allows, use story elements to help users make sense of travel techniques.

Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality

© losenh .L. LaViola .I

Case Studies

Mobile AR Case Study

- Uses a multi-camera navigation system
- Interface shows camera viewpoints with regularly updated thumbnails of their video footage
- Variable perspective visualization blends first-person and remote viewpoints together
- Key concepts:
 - Creating a good mental map of the observed environment is crucial to adequately making use of the augmented information within.
 - The use of multi-camera systems can help by providing an overview and resolving occlusions.

Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality

Conclusion

- 3D travel is another foundational task
- Physical and virtual travel approach have various tradeoffs
- Wayfinding affects navigation in 3D UIs
- Design your virtual world to provide sufficient environment-based wayfinding cues

Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr

Next Class

- System Control
- Readings
 - 3DUI Book Chapter 8

Spring 2018

CAP6121 - 3D User Interfaces for Games and Virtual Reality