


Classifications for 3D Travel


Technique Classifications

- Active versus passive
- Physical versus virtual
- Using task decomposition
- By metaphor

Spring 202[.]



Alternate Technique Classification – User Control Level





Walking Metaphors

Full Gait Techniques

- Real walking
- Redirected walking
- Scaled walking

Spring 2021

<image>

CAP6121 – 3D User Interfaces for Games and Virtual Reality ©Jos



Walking Metaphors


Gait Negation Techniques

Treadmills

Spring 2021

- Passive omnidirectional treadmills
- Active omnidirectional treadmills
- Low-friction surfaces
- Step-based devices









Steering Metaphors


Spring 2021

Most common virtual technique metaphor
Steering refers to continuous control of the direction of motion by the user
Travel direction is specified either

Through spatial interactions, or
With physical steering props

CAP6121 - 3D User Interfaces for Games and Virtual Reality


©Joseph J. LaViola Jr



Steering Metaphors Physical Steering Props Cockpits Cycles

Spring 202

Spring 2021



©Joseph J. LaViola Jr

Selection-Based Travel Metaphors

Depend on the user selecting either a target to travel to or a path to travel along
Simplify travel by not requiring details

- Techniques take care of the actual movement
- Extremely easy to understand and use

Selection-Based Travel Metaphors

Target-Based Travel Techniques

- Representation-based
- Dual-target

©Joseph J. LaViola J

©Joseph J. LaViola J

Map-based Travel Implementation

CAP6121 - 3D User Interfaces for Games and Virtual Reality

Must know

Spring 202


Spring 2021


- map scale relative to world: s
- location of world origin in map CS: $o = (x_{or} y_{or} z_o)$

On button press:

• if stylus intersects user icon, then each frame:

- get stylus position in map CS: (x, y, z)
- move icon to (x, 0, z) in map CS





Manipulation-Based Travel Metaphors

Manipulate either the viewpoint or world
Should be used when both travel and object manipulation tasks are frequent
Ideally the same metaphor can be used for both travel and object manipulation

Manipulation-Based Travel Metaphors

CAP6121 - 3D User Interfaces for Games and Virtual Reality

Viewpoint Manipulation Techniques

CAP6121 - 3D User Interfaces for Games and Virtual Reality

- Camera manipulation
- Avatar manipulation

Spring 202[.]

Spring 2021


Fixed-object manipulation



©Joseph J. LaViola J

©Joseph J. LaViola Jr

<section-header><section-header><section-header><section-header><section-header><list-item><list-item><list-item><list-item><table-container>



Other Aspects of Travel Techniques

Viewpoint Orientation

- Head tracking
- Orbital viewing
- Nonisomorphic rotation
- Virtual sphere techniques



CAP6121 - 3D User Interfaces for Games and Virtual Reality

CAP6121 - 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola J


©Joseph J. LaViola J


Velocity Specification


- Discrete changes
- Continuous control
- Direct input
- Automated velocity


Spring 202
















Cognitive aspect of navigation

- Effectiveness depends on the number and quality of the wayfinding cues or aids provided
- Two types of wayfinding aids:
 - User-centered: make use of human perception
 - Environment-centered: depend on virtual world

CAP6121 - 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr

©Joseph J. LaViola J



Difficult problem

Spring 202[.]

Spring 2021

- Differences between wayfinding in real world and virtual world
 - unconstrained movement
 - absence of physical constraints
 - lack of realistic motion cues
- 3DUIs can provide a wealth of information




User-Centered Wayfinding Cues

- Field of view
- Motion cues
- Multisensory output
- Presence


Spring 2021

Search strategies



CAP6121 - 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr







<section-header><list-item><list-item><list-item><list-item><list-item><table-container>

Design Guidelines

- Provide multiple travel techniques to support different travel tasks in the same application.
- Make simple travel tasks easier by using target-based techniques for goal-oriented travel and steering techniques for exploration and search.
- Use a physical locomotion technique if user exertion or naturalism is required.

CAP6121 - 3D User Interfaces for Games and Virtual Reality

Spring 202[.]

Spring 2021

©Joseph J. LaViola Jr


©Joseph J. LaViola Jr


Design Guidelines

- The most common travel tasks should require a minimum amount of effort from the user.
- Use high-speed transitional motions, not instant teleportation, if overall environment context is important.
- Train users in sophisticated strategies to help them acquire survey knowledge.

CAP6121 - 3D User Interfaces for Games and Virtual Reality

 If a map is used, provide a you-are-here marker.





Conclusion

3D travel is another foundational task
Physical and virtual travel approach have various tradeoffs
Wayfinding affects navigation in 3D UIs
Design your virtual world to provide sufficient environment-based wayfinding cues

CAP6121 - 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr

Spring 2021

