CGS31	175	- Exam 2 - Fal	1 2011							
True/Fa		ether the statement	t is true or fa	lse.						
			A style sheet in which the output device is not specified is applied to all devices, unless it is superceded by a style designed for a particular device.							
2		Each table in a We columns nested in			ructure consi	sting of the t	able element	and a collect	ion of table	
3	3.	A single Web page	e can contain	at most one	form.					
	4.	The general forma	nt for a contex	xtual selector	r is parent: de	escendant {st	yles}.			
5	5.	You could set all b	ooldfaced tex	t found in a	paragraph to	blue using th	ne style defin	ition: p b {co	lor: blue}.	
		By default, elemented elements.	nts that are fo	ormatted late	r in an HTM	L or XHTMI	document a	re stacked on	top of earlier	
	7.	Setting the display	style to "no	ne" hides an	element but	does not rem	ove it from t	he page flow.		
		KPAF Nightly So KPAF airs listener-so can <u>Listen Live</u> to s schedule.	upported publ						,	
		Time Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday		
		6:00 National News								
		6:30 Local News	Local News	Local News	Local News	Local News	Local News	Local News		
	8.	The item shown in	n the figure a	bove is a We	eb table.					
	9.	By default, tables	will display	without bord	lers in a brow	ser.				
10	0.	Only one caption	is allowed pe	r Web table.						
1	1.	A single table can	contain at m	ost one <tbo< td=""><td>dy> tag.</td><td></td><td></td><td></td><th></th></tbo<>	dy> tag.					
12	2.	HTML supports ta	ngs that allow	you to creat	te forms and	analyze the i	nformation s	ubmitted on f	forms.	
13	3.	Typically, forms of	only contain f	form element	ts and no pag	e elements.				
14	4.	Setting the width of	of an input bo	ox limits the	numbers of o	characters the	box can hol	d.		

Name: ______ Class: ______ Date: _____

ID: A

Name:				ID: A
1	5. (Check boxes are selected by default.		
Multiple				Also avention
таетпу	ine c	choice that best completes the statement or an	swers	ine question.
1	6.	You can mark a group of elements with a con	nmon	identifier using the attribute.
		a. id	c.	name
		b. class	d.	value
1	7.	By changing the list display style to, you	u can	
		a. inline	c.	block
		b. table	d.	none
1	8.	positioning allows browsers to place an	eleme	ent based on where it flows in the document.
		a. Absolute	c.	Static
	1	b. Relative	d.	Fixed
1	9.	To stack elements, you can use the style	÷.	
		a. index	c.	z-layer
	1	b. layer	d.	z-index
	(Case-Based Critical Thinking Questions		
	1		ents, t	ture of the yoga room along with the definition of yoga on he company logo, and then yoga teacher training dates. to make sure the pages print correctly.
2	20.	Which rule can be used to specify all of the ye	oga W	eb site's styles in one CSS file?
		a. media	c.	#mediagroup
	1	b. @groupmedia	d.	@media
2	21.	Which of the following can not be marked wi	th an l	HTML table element?
		a. table header	c.	table row
	1	b. table column	d.	table caption
2	22.	To create a cell that spans two rows in a table	. VOII 6	enter the tag as
		a. "2">	c.	-
	1	b. "2">	d.	•
2	23. ′	The attribute lets you control how the in	iternal	table oridlines are drawn
		a. rules	C.	
		b. grid	d.	lines
2	24. ′	The style can be used to separate the tab	le bor	ders.
		a. border-separate	c.	border-width
		b. border-collapse	d.	border-type

35. To control the space between the table text and the cell borders, add the _____ attribute to the table tag.

<th>> and </th>

<ht> and </ht>

c. cellborder

d. cell padding

a. and

b. $\langle td \rangle$ and $\langle td \rangle$

cell spacing

cellbetween

Name: _				ID: A
3		One tip for the effective use of tab	les is to use cell _	to keep the table content from appearing too
	ä	a. padding	c.	kerning
	1	b. tracking	d.	spanning
3	37.	To create a rectangle with a round	ed border using a	table, you can use a layout.
	á	a. sectional	c.	jigsaw
	l	b. columnar	d.	grid
3	88.	When creating a rounded border us	sing div containe	rs, you should use positioning.
		a. absolute	c.	
	ł	b. static	d.	relative
	(Case-Based Critical Thinking Q	uestions	
		Case 5-3		
			Web site to promo	ote the band. Julio likes to maintain a page where he can
				s. For each member, he likes to display a brief list of
	ł	biographical information on the let	ft and then their p	sicture on the right.
3	89.]	How many columns will Julio mos	st likely need in h	is table?
	ä	a. 2	c.	
	1	b. 4	d.	8
4	t			has several styles applied to it. Julio would like to specify the style to modify. Which table style has the highest
	í	a. rows	c.	table cells
	1	b. column groups	d.	table
4	1. 1	Information entered into a field is	called the field _	
	ä	a. index	c.	attribute
	1	b. rating	d.	value
4	2. (Option buttons are sometimes called	ed buttons.	
		a. group	c.	radio
	ł	b. cluster	d.	aggregate
4	l3. \	Which input type creates a field th	at is not viewable	e on the form?
		a. type="conceal"	c.	type= "view"
	ł	b. type= "off"	d.	type= "hidden"
4	4.	Γο associate a label with the control	ol element with th	ne id of "city", you would enter
	ä	a. <label id="city"></label>	c.	<label element="city"></label>
	1	b. <label for="city"></label>	d.	<label associate="city"></label>
4		To group option buttons so that selsame.	lecting one desele	ects all of the others, you must make the attribute the
		a. name	c.	id
	1	b. type	d.	value

Name:		ID: A	A
46	You can change the number of optionsa. displayb. list	s displayed in a selection list by modifying the attribute. c. size d. number	
47	Because it is more flexible, the na. putb. get	method is considered the preferred way of sending data to a Web se c. keep d. post	rver.
	can pick from jeans, jean shorts and je	have a Web site built for customers to order custom-made jeans. The ean jackets. Customers can specify one of their existing patterns when choose a custom pattern instead and then provide information about	ich
48	Wendy wants to separate the different use to create these groups?a. check boxb. select	c. radio d. fieldset	she
49	Wendy wants to label each group. Wha. labelb. caption	c. legend d. text	
50	For her address she wants to make sur will allow her to do this?a. maxlengthb. size	c. length d. characters	OX

CGS3175 - Exam 2 - Fall 2011 Answer Section

TRUE/FALSE

1.	ANS:	T	PTS:	1	REF:	HTML 241
2.	ANS:	F	PTS:	1	REF:	HTML 273
3.	ANS:	F	PTS:	1	REF:	HTML 350
4.	ANS:	F	PTS:	1	REF:	HTML 201
5.	ANS:	T	PTS:	1	REF:	HTML 201
6.	ANS:	T	PTS:	1	REF:	HTML 238
7.	ANS:	F	PTS:	1	REF:	HTML 245
8.	ANS:	T	PTS:	1	REF:	HTML 273
9.	ANS:	T	PTS:	1	REF:	HTML 277
10.	ANS:	T	PTS:	1	REF:	HTML 284
11.	ANS:	F	PTS:	1	REF:	HTML 287
12.	ANS:	F	PTS:	1	REF:	HTML 347
13.	ANS:	F	PTS:	1	REF:	HTML 349
14.	ANS:	F	PTS:	1	REF:	HTML 362
15.	ANS:	F	PTS:	1	REF:	HTML 378

MULTIPLE CHOICE

16.	ANS: B	PTS:	1	REF:	HTML 213		
17.	ANS: A	PTS:	1	REF:	HTML 213		
18.	ANS: C	PTS:	1	REF:	HTML 227		
19.	ANS: D	PTS:	1	REF:	HTML 238		
20.	ANS: D	PTS:	1	REF:	HTML 242	TOP:	Critical Thinking
21.	ANS: B	PTS:	1	REF:	HTML 273		
22.	ANS: C	PTS:	1	REF:	HTML 279		
23.	ANS: A	PTS:	1	REF:	HTML 296		
24.	ANS: B	PTS:	1	REF:	HTML 301		
25.	ANS: B	PTS:	1	REF:	HTML 354		
26.	ANS: B	PTS:	1	REF:	HTML 363		
27.	ANS: A	PTS:	1	REF:	HTML 201		
28.	ANS: C	PTS:	1	REF:	HTML 201		
29.	ANS: B	PTS:	1	REF:	HTML 201		
30.	ANS: A	PTS:	1	REF:	HTML 213		
31.	ANS: C	PTS:	1	REF:	HTML 216		
32.	ANS: D	PTS:	1	REF:	HTML 232		
33.	ANS: C	PTS:	1	REF:	HTML 234		
34.	ANS: C	PTS:	1	REF:	HTML 274		
35.	ANS: D	PTS:	1	REF:	HTML 293		
36.	ANS: A	PTS:	1	REF:	HTML 293		
37.	ANS: C	PTS:	1	REF:	HTML 315		

38. ANS: D	PTS: 1	REF: HTML 328	
39. ANS: A	PTS: 1	REF: HTML 273	TOP: Critical Thinking
40. ANS: C	PTS: 1	REF: HTML 305	TOP: Critical Thinking
41. ANS: D	PTS: 1	REF: HTML 346	
42. ANS: C	PTS: 1	REF: HTML 347	
43. ANS: D	PTS: 1	REF: HTML 353	
44. ANS: B	PTS: 1	REF: HTML 355	
45. ANS: A	PTS: 1	REF: HTML 366	
46. ANS: C	PTS: 1	REF: HTML 372	
47. ANS: D	PTS: 1	REF: HTML 391	
48. ANS: D	PTS: 1	REF: HTML 351	TOP: Critical Thinking
49. ANS: C	PTS: 1	REF: HTML 352	TOP: Critical Thinking
50. ANS: A	PTS: 1	REF: HTML 363	TOP: Critical Thinking

CGS	3175	75 - Exam 2 - Fall 2011									
True/I Indica		lse whether the statement is true or false.									
	1.	Check boxes are selected by default.									
	2.	2. The general format for a contextual selector is p	The general format for a contextual selector is parent: descendant {styles}.								
	3.	3. HTML supports tags that allow you to create for	rms and	analyze the i	nformation s	ubmitted on fo	orms.				
	4.	4. A style sheet in which the output device is not s style designed for a particular device.	pecified	is applied to	all devices, ı	ınless it is sup	perceded by a				
	5.	5. Setting the width of an input box limits the num	bers of c	haracters the	box can hole	d.					
	6.	6. A single Web page can contain at most one form	n.								
	7.	7. Typically, forms only contain form elements an	d no pag	e elements.							
	8.	3. A single table can contain at most one	tag.								
		KPAF Nightly Schedule									
		KPAF airs listener-supported public radio in Bismard can <u>Listen Live</u> to streaming audio of our broadcast schedule.				A CONTRACTOR OF THE CONTRACTOR					
		Time Monday Tuesday Wednesday Th	ursday	Friday	Saturday	Sunday					
		6:00 National News National News National News National	onal News	National News	National News	National News					
		6:30 Local News Local News Local News Local	d News	Local News	Local News	Local News					
	9.	9. The item shown in the figure above is a Web tal	ble.								
	10.	 Each table in a Web page follows a basic structu columns nested in the table element. 	ure consi	sting of the t	able element	and a collecti	on of table				
	11.	1. By default, tables will display without borders in	n a brow	ser.							
	12.	2. Only one caption is allowed per Web table.									
	13.	3. By default, elements that are formatted later in a elements.	an HTMI	L or XHTML	document a	re stacked on	top of earlier				
	14.	4. You could set all boldfaced text found in a paragraph.	graph to	blue using th	ne style defini	ition: p b {col	or: blue}.				

Name: ______ Class: ______ Date: _____

ID: B

Name	e:			ID: B
	15.	Setting the display style to "nor	ne" hides an elemen	at but does not remove it from the page flow.
	-	Choice		
Identij	fy the	e choice that best completes the s	tatement or answers	s the question.
	16.	With the overflow property, a voverflow content.	value of instruc	cts browsers to increase the height of an element to fit th
		a. auto	c.	hidden
		b. visible	d.	scroll
	17.	The attribute lets you con	trol how the interna	l table gridlines are drawn.
		a. rules	c.	grid
		b. gridlines	d.	lines
	18.	Before specifying a name or id	for your field, you i	need to learn what the requires.
		a. server script	c.	form layout
		b. user	d.	Web designer
		Case-Based Critical Thinking	g Questions	
	10	list the information about each biographical information on the	of the band member e left and then their	-
	19.	How many columns will Julio 1 a. 2	c.	
		b. 4	d.	
	20.	the background color of this ce precedence?		has several styles applied to it. Julio would like to specif ch style to modify. Which table style has the highest
		a. table cellsb. column groups	d.	table rows
		b. Column groups	u.	10W5
	21.		•	ent based on where it flows in the document.
		a. Fixed	C.	Relative
		b. Absolute	d.	Static
		#links {float: le #links ul {list-styl #links li.newsroup {margin-to		in-left: 15px; padding-left: 0px}
	22.	The item indicated in the figure	above is the	value.
		a. name	c.	null
		b. id	d.	

Name: _			ID: B
23	You can change the number of options dis a. list	played in c.	a selection list by modifying the attribute.
	b. number	d.	display
	Case-Based Critical Thinking Questions	S	
	can pick from jeans, jean shorts and jean je	ackets. Co	ite built for customers to order custom-made jeans. They ustomers can specify one of their existing patterns which om pattern instead and then provide information about the
24	4. Wendy wants to label each group. Which a. caption	c.	label
25		d. e zipcode	is set to 5 characters only. Which attribute of a text box
	will allow her to do this? a. maxlength b. length	c. d.	characters size
26	Wendy wants to separate the different options to create these groups?a. selectb. radio	c. d.	eans, jean shorts, and jean jackets. Which element can she check box fieldset
27	7. By changing the list display style to,a. noneb. inline	you can c. d.	create a horizontal list. block table
28	3. The general syntax for expressing the locaa. parent: descendant {styles}b. parent descendant {styles}	c.	parent descendant: {styles} parent.descendant {styles}
29	 7. Typing will specify that at most 7 ch a. <input length="7" type="text"/> b. <input maximum="7" type="text"/> 	aracters c c. d.	<input size="7" type="text"/>
	Case-Based Critical Thinking Questions	S	
		Events, t	ture of the yoga room along with the definition of yoga on the company logo, and then yoga teacher training dates. to make sure the pages print correctly.
30	Which rule can be used to specify all of tha. #mediagroupb. @media	e yoga W c. d.	'eb site's styles in one CSS file? @groupmedia media

42. To override style _____, you specify an alternate style for one of the descendant elements of the parent.

43. To create a rectangle with a rounded border using a table, you can use a ____ layout.

c. transition

d. recurrence

c. jigsaw

d. grid

dependence

inheritance

sectional

b. columnar

a.

Name:						ID: B	3
	44.	Wh	nich pseudo-class should	come first when cr	eatin	ng a rollover effect?	
		a.	visited		c.	active	
		b.	link		d.	focus	
	45.	То	create a cell that spans t	wo rows in a table,	you e	enter the tag as	
		a.			c.		
		b.	"2">		d.	"2">	
	46.	You	u can mark a group of e	lements with a comi	mon :	identifier using the attribute.	
		a.	name			id	
		b.	class		d.	value	
	47.	Bed	cause it is more flexible,	the method is	cons	nsidered the preferred way of sending data to a Web ser	ver.
		a.	put		c.	post	
		b.	get		d.	keep	
	48.	Info	ormation entered into a	field is called the fie	eld _		
		a.	index		c.	value	
		b.	attribute		d.	rating	
	49.		express the location of	of an element within	the l	hierarchy of elements.	
		a.	Id selectors		c.	· · ·	
		b.	Attribute selectors		d.	Contextual selectors	
	50.		e tip for the effective uswded.	e of tables is to use	cell _	to keep the table content from appearing too	
		a.	spanning		c.	kerning	
		b.	padding		d.	tracking	

CGS3175 - Exam 2 - Fall 2011 Answer Section

TRUE/FALSE

1.	ANS:	F	PTS:	1	REF:	HTML 378
2.	ANS:	F	PTS:	1	REF:	HTML 201
3.	ANS:	F	PTS:	1	REF:	HTML 347
4.	ANS:	T	PTS:	1	REF:	HTML 241
5.	ANS:	F	PTS:	1	REF:	HTML 362
6.	ANS:	F	PTS:	1	REF:	HTML 350
7.	ANS:	F	PTS:	1	REF:	HTML 349
8.	ANS:	F	PTS:	1	REF:	HTML 287
9.	ANS:	T	PTS:	1	REF:	HTML 273
10.	ANS:	F	PTS:	1	REF:	HTML 273
11.	ANS:	T	PTS:	1	REF:	HTML 277
12.	ANS:	T	PTS:	1	REF:	HTML 284
13.	ANS:	T	PTS:	1	REF:	HTML 238
14.	ANS:	T	PTS:	1	REF:	HTML 201
15.	ANS:	F	PTS:	1	REF:	HTML 245

MULTIPLE CHOICE

16.	ANS: B	PTS:	1	REF:	HTML 234		
17.	ANS: A	PTS:	1	REF:	HTML 296		
18.	ANS: A	PTS:	1	REF:	HTML 354		
19.	ANS: A	PTS:	1	REF:	HTML 273	TOP:	Critical Thinking
20.	ANS: A	PTS:	1	REF:	HTML 305	TOP:	Critical Thinking
21.	ANS: D	PTS:	1	REF:	HTML 227		
22.	ANS: D	PTS:	1	REF:	HTML 213		
23.	ANS: C	PTS:	1	REF:	HTML 372		
24.	ANS: B	PTS:	1	REF:	HTML 352	TOP:	Critical Thinking
25.	ANS: A	PTS:	1	REF:	HTML 363	TOP:	Critical Thinking
26.	ANS: D	PTS:	1	REF:	HTML 351	TOP:	Critical Thinking
27.	ANS: B	PTS:	1	REF:	HTML 213		
28.	ANS: B	PTS:	1	REF:	HTML 201		
29.	ANS: D	PTS:	1	REF:	HTML 363		
30.	ANS: B	PTS:	1	REF:	HTML 242	TOP:	Critical Thinking
31.	ANS: D	PTS:	1	REF:	HTML 353		
32.	ANS: D	PTS:	1	REF:	HTML 301		
33.	ANS: C	PTS:	1	REF:	HTML 347		
34.	ANS: B	PTS:	1	REF:	HTML 273		
35.	ANS: D	PTS:	1	REF:	HTML 232		
36.	ANS: C	PTS:	1	REF:	HTML 366		
37.	ANS: D	PTS:	1	REF:	HTML 355		

38.	ANS:	A	PTS:	1	REF:	HTML 274
39.	ANS:	D	PTS:	1	REF:	HTML 328
40.	ANS:	C	PTS:	1	REF:	HTML 238
41.	ANS:	D	PTS:	1	REF:	HTML 293
42.	ANS:	В	PTS:	1	REF:	HTML 201
43.	ANS:	C	PTS:	1	REF:	HTML 315
44.	ANS:	В	PTS:	1	REF:	HTML 216
45.	ANS:	C	PTS:	1	REF:	HTML 279
46.	ANS:	В	PTS:	1	REF:	HTML 213
47.	ANS:	C	PTS:	1	REF:	HTML 391
48.	ANS:	C	PTS:	1	REF:	HTML 346
49.	ANS:	D	PTS:	1	REF:	HTML 201
50.	ANS:	В	PTS:	1	REF:	HTML 293

CGS3175 - Exam 2 - Fall 2011 [Version Map]

	Α	В
TF	1	4
TF	2 3 4 5 6 7 8	10
TF	3	
TF	4	2
TF	5	14
TF	6	13
TF	7	15
TF TF TF TF TF TF TF TF TF TF TF TF	8	6 2 14 13 15 9
TF	9	11
TF	10	12
TF	10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25	12 8 3 7 5
TF	12	3
TF	13	7
TF	14	5
TF	15	1
МС	16	46
MC	17	27
MC	18	21
MC	19	46 27 21 40 30 34 45 17 32 18 29 49 28 42 22
MC	20	30
MC MC MC MC MC MC	21	34
MC	22	45
MC	23	17
MC	24	32
MC	25	18
MC	26	29
MC	27	49
MC	28	28
MC	29	42
MC	29 30	22
MC	31	44
MC	32	35
MC	33	16
MC	34	38
MC	35	41
MC	36	50
MC	37	43
MC	38	39
MC	39	19
MC	39 40	20
MC	41	48
MC	42	33
MC	43	31
MC	44	31 37
MC	45	36
MC	46	23
MC	47	23 47
MC	48	26
MC	49	24
MC	50	25