



**MORE RECURSION:
PERMUTATIONS AND
TOWERS OF HANOI**

COP 3502

Permutations

- The permutation problem is as follows:
 - Given a list of items, list all the possible orderings of those items.
 - For example, here are all the permutations of CAT:
 - CAT
 - CTA
 - ACT
 - ATC
 - TAC
 - TCA



Permutations

- There are several different permutation algorithms,
 - but since we're focusing on recursion in this course, a recursive algorithm will be presented.
 - (Feel free to come up with or research an iterative algorithm on your own)



Recursive Permutation Algorithm

- The idea is as follows:
 - In order to list all the permutations of CAT, we can split our work into three groups of permutations:
 - 1) Permutations that start with C.
 - 2) Permutations that start with A.
 - 3) Permutations that start with T.
 - The recursion comes in here:
 - When we list all permutations that start with C, they are nothing but strings formed by attaching C to the front of ALL permutations of "AT".
 - This is nothing but another permutation problem!!!



Recursive Permutation Algorithm

- Number of recursive calls
 - Often when recursion is taught, a rule of thumb is:
 - “recursive functions don’t have loops”
 - Unfortunately, this rule of thumb is not always true!
 - An exception to this rule is the permutation algorithm.



Recursive Permutation Algorithm

- Number of recursive calls
 - The problem is the number of recursive calls is variable.
 - In the CAT example
 - 3 recursive calls were needed
 - BUT, what if we were permuting the letters in the word, “COMPUTER”?
 - Then 8 recursive calls (1 for each possible starting letter) would be needed.



Recursive Permutation Algorithm

- Number of recursive calls
 - In other words...
 - We need a loop in the algorithm
 - for (each possible starting letter)
 - list all permutations that start with that letter
 - What is the terminating condition?
 - Permuting either 0 or 1 element.
 - In these cases there's nothing to permute
 - In our code, we will use 0 as our terminating condition



Recursive Permutation Algorithm

- The Permutation algorithm:
 - As we have seen in previous examples
 - some recursive functions take in an extra parameter compared to their iterative implementation
 - This is usually used to keep track of the number of iterations left until the base case.
 - This is the case for our permutation algorithm
 - Shown in the following function...



Recursive Permutation Algorithm

```
// Pre-condition: str is a valid C String, and k
// is non-negative and <= the
// length of str.
// Post-conditions: All of the permutations of str with
// the first k characters fixed in
// their original positions are
// printed. Namely, if n is the lenth
// of str, then (n-k)! permutations are
// printed.
void RecursivePermute(char str[], int k);
```

- So k refers to the first k characters that are fixed in their original positions.



Recursive Permutation Algorithm

```
// Pre-condition: str is a valid C String, and k
// is non-negative and <= the
// length of str.
// Post-conditions: All of the permutations of str with
// the first k characters fixed in
// their original positions are
// printed. Namely, if n is the length
// of str, then (n-k)! permutations are
// printed.
void RecursivePermute(char str[], int k);
```

- So we terminate when k is equal to the length of the string, str
 - This means:
 - If k is equal to the length of the actual string, and all k values are fixed, there's nothing left to permute
 - So we just print out that permutation



Recursive Permutation Algorithm

```
// Pre-condition: str is a valid C String, and k
// is non-negative and <= the
// length of str.
// Post-conditions: All of the permutations of str with
// the first k characters fixed in
// their original positions are
// printed. Namely, if n is the length
// of str, then (n-k)! permutations are
// printed.
void RecursivePermute(char str[], int k);
```

- If we do NOT terminate:
 - We want a loop that tries each character at index k.



Recursive Permutation Algorithm

- The recursive algorithm:

```
void RecursivePermute(char str[], int k) {
    int j;

    // Base-case: All fixed, so Print!
    if (k == strlen(Str))
        printf("%s\n", str);
    else {
        // Try each letter in spot j
        for (j=k; j<strlen(Str); j++) {
            // Place next letter in spot k.
            ExchangeCharacters(str, k, j);

            // Print all with spot k fixed.
            RecursivePermute(str, k+1);

            // Put the old char back.
            ExchangeCharacters(str, j, k);
        }
    }
}
```



Recursive Permutation Algorithm

- The main loop within the recursive algorithm:

```
for (j=k; j<strlen(Str); j++) {  
    ExchangeCharacters(str, k, j);  
    RecursivePermute(str, k+1);  
    ExchangeCharacters(str, j, k);  
}
```

- How do we get the different characters in the first position?
 - (The 'C', 'A', 'T' , in our CAT example)



Recursive Permutation Algorithm

- The main loop within the recursive algorithm:

```
for (j=k; j<strlen(Str); j++) {  
    ExchangeCharacters(str, k, j);  
    RecursivePermute(str, k+1);  
    ExchangeCharacters(str, j, k);  
}
```

- The ExchangeCharacters function:
 - Takes in str, and swaps 2 characters within that string (at index k and index j)



Recursive Permutation Algorithm

- This function will swap the characters for us,
 - Letting each character have a turn at being the 1st character in the sub-string

```
// Pre-condition: str is a valid C String and i,j are
                    valid indices to that string.
// Post-condition: The characters at i and j, will
                    be swapped in str.
void ExchangeCharacters(char str[], int i, int j) {
    char temp = str[i];
    str[i] = str[j];
    str[j] = temp;
}
```



Recursive Permutation Algorithm

- The main loop within the recursive algorithm:

```
for (j=k; j<strlen(Str); j++) {  
    ExchangeCharacters(str, k, j);  
    RecursivePermute(str, k+1);  
    ExchangeCharacters(str, j, k);  
}
```

- So after we swap positions, we swap back so we can continue looping through the rest of the possible characters at position k.



Recursive Permutation Algorithm

- Recursive Permutation code in detail:
 - 2 parameters to the function
 - 1) The string we want to permute (for example “CAT”)
 - 2) And the integer k
 - Represents the first k characters that are FIXED at their spots.
 - Nothing left to permute so we print.

```
void RecursivePermute(char str[], int k) {  
    int j;  
  
    // Base-case: All positions are fixed,  
    //           Nothing to permute.  
    if (k == strlen(str))  
        printf("%s\n", str);  
}
```



Recursive Permutation Algorithm

- Recursive Permutation code in detail:
 - Let's use "CAT" as our example
 - Originally we call: RecursivePermute("CAT", 0)
 - Since $k == 0$, ZERO characters are fixed, so we don't print yet.
 - We move to the else case

```
void RecursivePermute(char str[], int k) {  
    // PREVIOUS CODE  
  
    else {  
        // Try each letter in spot j  
        for (j=k; j<strlen(Str); j++) {  
            // ...  
        }  
    }  
}
```



Recursive Permutation Algorithm

- Recursive Permutation code in detail:
 - ALL other cases (NON-base cases):
 - Call this for loop
 - Iterates the number of times EQUAL to the number of possible characters that can go into index k.

```
// Try each letter in spot j
for (j=k; j<strlen(Str); j++) {
    // Place next letter in spot k.
    ExchangeCharacters(str, k, j);
    // Print all perms with spot k fixed
    RecursivePermute(str, k+1);
    // Put the old char back
    ExchangeCharacters(str, j, k);
}
```




Recursive Permutation Algorithm

- Recursive Permutation code in detail:
 - ALL other cases (NON-base cases):
 - So it would try:
 - Permutations that start with C
 - Permutations that start with A
 - Permutations that start with T

```
// Try each letter in spot j
for (j=k; j<strlen(Str); j++) {
    // Place next letter in spot k.
    ExchangeCharacters(str, k, j);
    // Print all perms with spot k fixed
    RecursivePermute(str, k+1);
    // Put the old char back
    ExchangeCharacters(str, j, k);
}
```





```

for (j=k; j<strlen(Str); j++) {
    ExchangeCharacters(str, k, j);
    RecursivePermute(str, k+1);
    ExchangeCharacters(str, j, k);
}

```






TOWERS OF HANOI

COP 3502


Recursion – Towers of Hanoi

- The Towers of Hanoi
 - Is a mathematical puzzle that has a classic recursive solution that we are going to examine.
 - The puzzle was invented by the French mathematician Edouard Lucas, based upon a legend:
 - In an Indian temple there contains three posts surrounded by 64 golden disks.
 - The monks have been moving the disks according to the puzzle rules since the beginning of time.
 - And according to the legend, when the last move of the puzzle is completed, the world will end.




Recursion – Towers of Hanoi

- The Towers of Hanoi
 - The goal is to move all disks from Tower#1 to Tower#3.
 - The rules are:
 - You can only move ONE disk at a time
 - And you can NEVER put a bigger disk on top of a smaller disk.



Recursion – Towers of Hanoi

- The Towers of Hanoi
 - Coming up with a Recursive Solution:
 - Clearly a tower with more than 1 disk must be moved in pieces.
 - We know that the bottom disk needs to be moved to the destination tower.
 - In order to do that we need to move all disks above the bottom disk to the intermediate tower.
 - This leads to our recursive solution!




Recursion – Towers of Hanoi

- The Towers of Hanoi

- Solution:

- Regardless of the number of disks, we know we have to do the following steps:
 - The bottom disk needs to be moved to the destination tower
 - 1) So step 1 must be to move all disks above the bottom disk to the intermediate tower.
 - 2) In step 2, the bottom disk can now be moved to the destination tower.
 - 3) In step 3, the disks that were initially above the bottom disk must now be put back on top of the destination tower.



Recursion – Towers of Hanoi

- The Towers of Hanoi

- Let's look at the problem with only 3 disks.



- Solution:

- Step 1:

- Move top 2 disks to temp


- » we would have to solve this recursively, since we can only move 2 disks at a time.

- » We're going to assume that we know how to do the 2 disk problem (since this is solved recursively), and continue to the next step.





Recursion – Towers of Hanoi









- The Towers of Hanoi
 - Let's look at the problem with only 3 disks.
 - Solution:
 - Step 2:
 - Move the last single disk from start to finish
 - Moving a single disk does not use recursion, and does not use the temp tower.
 - (In our program, a single disk move is represented with a print statement.)



Recursion – Towers of Hanoi

- The Towers of Hanoi
 - Let's look at the problem with only 3 disks.
 - Solution:
 - Step 3:
 - Last step – Move the 2 disks from Temp to Finish
 - » This would be done recursively.














Recursion – Towers of Hanoi

- Number of Steps:
 - 3 disks required 7 steps
 - 4 disks would require 15 steps
 - We get n disks would require $2^n - 1$ steps
 - HUGE number







```

void doHanoi(int n, char start, char finish, char temp) {
    if (n==1) {
        printf("Move Disk from %c to %c\n", start,
finish);
    }
    else {
        doHanoi(n-1, start, temp, finish);
        printf("Move Disk from %c to %c\n, start finish);
        doHanoi(n-1, temp, finish, start);
    }
}

```

```
// Function Prototype
void doHanoi(int n, char start, char finish, char temp);

void main() {
    int disk;
    int moves;
    printf("Enter the # of disks you want to play with:");
    scanf("%d", &disk);
    // Print out the # of moves required
    moves = pow(2, disk)-1;
    printf("\nThe # of moves required is = %d \n", moves);
    // Show the moves using doHanoi
    doHanoi(disk, 'A', 'C', 'B');
}
```