


Total Points Available 70


Your Raw Score _____

Grade: _____

- 5 1. Present the transition diagram for a DFA that accepts the set of strings over the alphabet $\{a,b\}$ that are of length >0 and have either (an even number of both a 's and b 's) or (an odd number of both a 's and b 's). Examples that are in the language include **aababa** (even number of both), **ab** (odd number of both), and **aa** (even number of both), but not **aab** (even number of a 's but odd number of b 's) or **bab** (odd number of a 's but even number of b 's) or even λ (length of 0).



OR JUST



- 5 2. Consider the following assertion:

Let R_1 and R_2 be regular languages that are recognized by A_1 and A_2 , respectively, where

$A_1 = (Q_1, \Sigma, \delta_1, q_1, F_1)$ and $A_2 = (Q_2, \Sigma, \delta_2, q_2, F_2)$ are DFAs. Show that


$L = \sim R_2 \cup R_1 = \{w \mid w \text{ is the complement of } (R_2 - R_1)\}$

is also regular, where \sim means NOT and $-$ means set difference.

Note: The figure on right shows the set as the white part.

Present a DFA construction $A_3 = (Q_3, \Sigma, \delta_3, q_3, F_3)$, where

$L(A_3) = \sim R_2 \cup R_1 = \sim(R_2 - R_1)$. You do not need to present a formal proof that it works, but you must clearly define Q_3 , δ_3 , q_3 , and F_3 .



$$Q_3 = Q_1 \times Q_2$$

$$q_3 = \langle q_1, q_2 \rangle$$

$$\delta_3(\langle p, q \rangle, a) = \langle \delta_1(p, a), \delta_2(q, a) \rangle$$


$$a \in \Sigma, p \in Q_1, q \in Q_2$$

$$F_3 = (Q_1 \times (Q_2 - F_2)) \cup F_1 \times Q_2$$

could add just $F_1 \times F_2$

$$\text{OR } F_3 = (Q_1 \times Q_2) - (Q_1 \times F_2 - F_1 \times Q_2)$$

3. Let L be defined as the language accepted by the following finite state automaton \mathcal{A}



- 8 a.) Present the regular equations associated with each of \mathcal{A} 's states, solving for the regular expression associated with the language recognized by \mathcal{A} . You must finish by showing the final expression for the language accepted by this automaton.

$$A = \lambda + D(a+b) + Ab = D(a+b)b^* + b^*$$

$$B = Aa = (D(a+b)b^* + b^*)a = Bba^*b(a+b)b^*a + b^*a$$

$$= b^*a(ba^*b(a+b)b^*a)^*$$

$$C = Bb + Ca = Bba^*$$

$$D = Cb = Bba^*b$$

$$B + C = (b^*a(ba^*b(a+b)b^*a)^*)(ba^* + \lambda)$$

- 4 b.) Assuming that we designate A as state 1, B as state 2 and C as state 3. Kleene's Theorem allows us to associate regular expressions $R_{i,j}^k$ with \mathcal{A} , where $i \in \{1..3\}$, $j \in \{1..3\}$, and $k \in \{0..3\}$.

The following are values of $R_{1,1}^0 = \lambda + b$, $R_{2,2}^0 = \lambda$, $R_{3,3}^0 = \lambda + a$, $R_{4,4}^0 = \lambda$, ,
 $R_{1,2}^0 = a$, $R_{1,3}^0 = \emptyset$, $R_{1,4}^0 = \emptyset$, $R_{2,1}^0 = \emptyset$, $R_{2,3}^0 = b$, $R_{2,4}^0 = \emptyset$, $R_{3,1}^0 = \emptyset$,
 $R_{3,2}^0 = \emptyset$, $R_{3,4}^0 = b$, $R_{4,1}^0 = a + b$, $R_{4,2}^0 = \emptyset$, $R_{4,3}^0 = \emptyset$


How is $R_{4,2}^1$ calculated from the set of $R_{i,j}^0$'s above? Give this abstractly in terms of the $R_{i,j}^k$'s

$$R_{4,2}^1 = R_{4,2}^0 + R_{4,1}^0 (R_{1,1}^0)^* R_{1,2}^0$$




What expression does $R_{4,2}^1$ evaluate to, given that you have all the component values?

$$R_{4,2}^1 = \emptyset + (a+b)b^*a$$

- 7 4. Let L be defined as the language accepted by the NFA \mathcal{A} :




Using the technique of replacing transition letters by regular expressions and then ripping states from a GNFA to create new expressions, develop the regular expression associated with the automaton \mathcal{A} that generates L . I have included the states of a GNFA associated with removing states A , B and then C , in that order. You must use this approach of collapsing one state at a time, showing the resulting transitions with non-empty regular expressions



5. Consider the regular expression $R = (0 + 0^+ 1^+ 1 + 1^+ 0^+ 1 + 1)^+$. Show a NFA (do by transition diagram) that accepts R .

THE MOST LITERAL SOLUTION IS



HOWEVER, R REDUCES TO $(0+1)^+$



6. Apply the Pumping Lemma to show the following is **NOT** regular. Be sure to differentiate the steps (contributions) to the process provided by the Pumping Lemma and those provided by you. Be sure to be clear about the contradiction. I'll even start the process for you. Please be careful to note constraints on the Pumping Lemma as I have when noting that $N > 0$.

$$L = \{ a^i b^j c^k \mid k = \min(i, j), i, j > 0 \}$$

You: L is Regular

PL: Provides $N > 0$ associated with L

YOU: $w = a^N b^N c^N \in L$

P.L: $w = xyz$, $|xy| \leq N$, $|y| > 0$ & $\forall i \geq 0 \ x y^i z \in L$

YOU: SET $i = 0$ THEN $x y^0 z = xz = a^{N-|y|} b^N c^N$
 SINCE $|xy| \leq N$ MEANS y IS OVER a 'S ONLY
 BUT, SINCE $|y| > 0$, $N - |y| < N$ AND SO $a^{N-|y|} b^N c^N \notin L$
 THUS, BY PUMPING LEMMA, L IS NOT REGULAR

NOTE: ALSO WORKS FOR $i \geq 2$

7. Analyze the language, $L = \{ a^i b^j c^k \mid k = \min(i, j), i, j > 0 \}$, proving it is **non-regular** by showing that there are an **infinite** number of equivalence classes formed by the relation R_L defined by:

$$x R_L y \text{ if and only if } [\forall z \in \{a, b, c\}^*, xz \in L \text{ exactly when } yz \in L].$$

You don't have to present all equivalence classes, but you must demonstrate a pattern that gives rise to an infinite number of classes, along with evidence that these classes are distinct from one another.

CONSIDER THE EQUIVALENCE CLASSES ASSOCIATED WITH STRINGS OF FORM $a^i b^i$, I.E., $[a^i b^i]_{R_L}$

Clearly, $a^i b^i c^i \in L$, BUT $a^i b^j c^i \notin L$, WHEN $i \neq j$


THUS $\forall i, j \geq 0 \ [a^i b^i]_{R_L} \neq [a^j b^j]_{R_L}$ WHENEVER $i \neq j$

AND SO R_L INDUCES AN INFINITE NUMBER OF EQUIVALENCE CLASSES. I.E., INDEX OF R_L IS INFINITE.

HENCE, BY M-N, L IS NOT REGULAR.


8. Let L be defined as the language accepted by the finite state automaton \mathcal{A} :

- 2 a.) Fill in the following table, showing the λ -closures for each of \mathcal{A} 's states. Note: $F = \{C, D, E\}$.



State	A	B	C	D	E
λ -closure	A	AB	C	ABD	AE

- 5 b.) Convert \mathcal{A} to an equivalent deterministic finite state automaton. Use states like AC to denote the subset of states $\{A, C\}$. Be careful -- λ -closures are important.



- 4 9. Define $\text{ProperPreOrPost}(L) = \{y \mid y \in \Sigma^+ \text{ and } (\exists x \in \Sigma^+ \text{ or } \exists z \in \Sigma^+) \text{ where } xyz \in L\}$. Assuming that Regular languages are already shown to be closed under **Substitution**, **Homomorphism**, **Concatenation** and **Intersection with Regular Languages**, show they are closed under **ProperPreOrPost**. You should find it useful to employ the substitution $f(a) = \{a, a'\}$, and the homomorphisms $g(a) = a'$ and $h(a) = a, h(a') = \lambda$. Here $a \in \Sigma$ and a' is a new symbol associated with a . You do not need to show your construction works, but it must be based on the meta technique I showed in class for languages closed as above.

$$\text{ProperPreOrPost}(L) =$$

$$R(f(L) \cap (g(\Sigma^+) \Sigma^+ g(\Sigma^+)) \cup (g(\Sigma^+) \Sigma^+ g(\Sigma^+)))$$


10. Given a DFA denoted by the transition table shown below, and assuming that 1 is the start state and 1 and 5 are final states, fill in the equivalent states matrix I have provided. Use this to create an equivalent, minimal state DFA.

	a	b	c
<u>1</u>	6	3	4
2	5	3	1
3	1	3	5
4	2	4	2
<u>5</u>	6	2	4
6	5	3	5

2	X				
3	X	1,5			
4	X	2,5 X 3,4 1,2 X	1,2 X 3,4 2,5 X		
<u>5</u>	2,3	X	X	X	
6	X	1,5	1,5	2,5 X 3,4	X
	<u>1</u>	2	3	4	<u>5</u>

Don't forget to construct and write down your new, equivalent automaton!! Be sure to clearly mark your start state and your final state(s). In your minimum state DFA, label merged states with the states that comprise the merge. Thus, if 1, 2 and 3 are indistinguishable, label the merged state as 123.

STATES ARE BASED ON EQUIVALENCE CLASSES (COMPATIBILITY STATE SETS) $\{1,5\}$ $\{2,3,6\}$ $\{4\}$



- 5 11. Present a Mealy Model finite state machine that reads an input $x \in \{0, 1\}^*$ and produces the binary number that represents the result of adding the two complement representation of decimal -6, that is adding binary $1\dots 1010$ to x (this assumes all numbers are in two's complement notation, including results). Assume that x is read starting with its least significant digit.
 Examples: $00010 \rightarrow 11100$; $01001 \rightarrow 00011$; $01011 \rightarrow 00101$; $00101 \rightarrow 11111$; $11110 \rightarrow 11000$

