

- 2 1. Let $A = (\{q_1, \dots, q_{10}\}, \{0,1\}, q_1, \{q_7\})$ be some DFA. Assume you have computed the sets, $R^k_{i,j}$, for $0 \leq k \leq 9, 1 \leq i \leq 10, 1, 1 \leq j \leq 10$. How do you compute $L(A) = R^{10}_{1,7}$, based on the previously computed values of the $R^k_{i,j}$'s?

$$R^{10}_{1,7} = R^9_{1,7} + R^{90}_{1,10} (R^9_{10,10})^* R^9_{10,7}$$

- 4 2. Write a Context Free Grammar for the language L , where $L = \{ a^i b^j c^k \mid i \leq (j + k) \}$

$$S \rightarrow a S c \mid S c \mid A$$

$$A \rightarrow a A b \mid A b \mid \lambda$$

- 5 3. Assume A and B are arbitrary Context Free languages. Indicate, for each of the following operations, whether the language L is guaranteed to be Context Free (Note: Regular languages are Context Free). No proofs or examples are required.

Operation	Is L guaranteed to be a CFL? (Y or N)
$L \subset A$ (Subset)	N
$L = A \cap B$ (Intersection)	N
$L = A \bullet B$ (Concatenation)	Y
$L = A \oplus B$ ($\{ x \mid x \text{ is in either } A \text{ or } B, \text{ but not both} \}$)	N
$L = \text{Max}(A)$ ($\{ x \mid x \in A \text{ but no } xy \in A, y > 0 \}$)	N

8 4. Use the Pumping Lemma for CFLs to show that the following language L is not Context Free.

$L = \{ a^n b^{2^n} \mid n > 0 \}$. Be explicit as to why each case you analyze fails to be an instance of L .
I will do the first two steps for you.

ME: Assume L is Context Free

PL: Provides a whole number $N > 0$ that is the value associated with L based on the Pumping Lemma

ME: Choose $w = a^N b^{2^N} = uvwxy$, $|vwx| \leq N$, $|v| + |x| > 0$, and $\forall i uv^iwx^iy \in L$

PL:

Case1: Assume vwx is over a 's and perhaps b 's. This means that vwx must contain at least one a and at most $N-1$ b 's. Let $i=2$. Assuming the case where it has just one a , the string uv^2wx^2y would start with $N+1$ a 's and so must have 2^{N+1} b 's.

Now, 2^N is always greater than N , for $N > 0$, so $2^{N+1} = 2^N + 2^N$ is greater than $2^N + N$ which is greater than $2^N + N-1$. Thus, there are not sufficient number of b 's to accommodate number of a 's and so $uv^2wx^2y \notin L$.

Case2: Assume vwx is over only b 's. Let $i=2$. Then $uv^2wx^2y = a^N b^{2^N + |vx|}$, where $|vx| > 0$ and so there are too many b 's relative to the number of a 's and so $uv^2wx^2y \notin L$.

Cases 1 and 2 cover all possibilities, so L is not a CFL.

6 5. Consider some languages A and B that are both Context Free, and neither is Regular. Define $L = A \cup B$. Give explicit examples of languages A and B , and explicitly describe L , or argue that this is impossible based on some well-known result, for each of the following.

a.) L is Regular

$$A = \{ a^n b^m \mid m \geq n, m, n \geq 0 \}; B = \{ a^n b^m \mid m \leq n, m, n \geq 0 \}; L = A \cup B = a^*b^*$$

b.) L is Context Free, non-Regular.

$$A = \{ a^n b^n \mid n \geq 0 \}; B = A; L = A \cup B = A = \{ a^n b^n \mid n \geq 0 \}$$

c.) L is Context Sensitive, non-Context-Free.

That is impossible as CFLs are known to be closed under union. The proof is trivial when employing CFGs.

10 6. Present the CKY recognition matrix for the string **abbccc** assuming the Chomsky Normal Form grammar, $G = (\{S, A, B, C, X, Y, Z\}, \{a,b,c\}, R, S)$, specified by the rules **R**: Note: **abbccc** is in $L(G)$ so that should help you if you make an error and don't see **S** at bottom of matrix.

- $S \rightarrow AB$
- $A \rightarrow XA \mid a$
- $B \rightarrow CZ \mid BZ \mid b \mid c$
- $C \rightarrow YB$
- $X \rightarrow a$
- $Y \rightarrow b$
- $Z \rightarrow c$

	a	b	b	c	c	c
1	<i>AX</i>	<i>BY</i>	<i>BY</i>	<i>BZ</i>	<i>BZ</i>	<i>BZ</i>
2	<i>S</i>	<i>C</i>	<i>BC</i>	<i>B</i>	<i>B</i>	
3		<i>BC</i>	<i>BC</i>	<i>B</i>		
4	<i>S</i>	<i>BC</i>	<i>BC</i>			
5	<i>S</i>	<i>BC</i>				
6	<i>S</i>					

A little help from your friends

Non-Terminal	First Symbol in Rules	Second Symbol in Rules
S	None	None
A	$S \rightarrow AB$	$A \rightarrow XA$
B	$B \rightarrow BZ$	$S \rightarrow AB; C \rightarrow YB$
C	$B \rightarrow CZ$	None
X	$A \rightarrow XA$	None
Y	$C \rightarrow YB$	None
Z	None	$B \rightarrow BZ; B \rightarrow CZ$

- 8 7. Prove that Context-Free Languages are closed under **div3** where **L** is a CFL over the alphabet Σ , and $\mathbf{div3(L)} = \{x \mid xy \in L \text{ and } |x| \bmod 3 = 0 \text{ and } |y| \in \{0,1,2\}\}$.

In words, we remove as few characters as needed from the end of a string in **L**, so the resulting string's length is a multiple of 3.

You may assume substitution $\mathbf{f(a)} = \{a, a'\}$, and homomorphisms $\mathbf{g(a)} = a'$ and $\mathbf{h(a)} = a, \mathbf{h(a')} = \lambda$. Here $\mathbf{a} \in \Sigma$ and $\mathbf{a'}$ is a distinct new character associated with each $\mathbf{a} \in \Sigma$.

You must be very explicit, describing what is produced by each transformation you apply and what kind of language results.

$$\mathbf{div3(L)} = \mathbf{h(f(L) \cap ((\Sigma\Sigma\Sigma)^* g(\{\lambda\} \cup \Sigma \cup \Sigma\Sigma)))}$$

First, all finite sets are Regular and Regular are closed under concatenation and union, so $\Sigma\Sigma\Sigma$ is Regular as is $(\{\lambda\} \cup \Sigma \cup \Sigma\Sigma)$. Next Regular are closed under Kleene star, homomorphism and, again concatenation, so $((\Sigma\Sigma\Sigma)^ g(\{\lambda\} \cup \Sigma \cup \Sigma\Sigma))$ is Regular.*

Second, Context Free are closed under homomorphism, substitution and intersection with regular sets, so $f(L) \cap ((\Sigma\Sigma\Sigma)^ g(\{\lambda\} \cup \Sigma \cup \Sigma\Sigma))$ and $h(f(L) \cap ((\Sigma\Sigma\Sigma)^* g(\{\lambda\} \cup \Sigma \cup \Sigma\Sigma))$ are both Context Free.*

Now, $((\Sigma\Sigma\Sigma)^ g(\{\lambda\} \cup \Sigma \cup \Sigma\Sigma)) = \{xy' \mid xy' \in \Sigma^* \text{ and } |x| \bmod 3 = 0 \text{ and } |y'| \in \{0,1,2\}\}$*

$f(L) = \{f(w) \mid w \in L\}$.

So $f(L) \cap ((\Sigma\Sigma\Sigma)^ g(\{\lambda\} \cup \Sigma \cup \Sigma\Sigma)) = \{xy' \mid xy' \in L \text{ and } |x| \bmod 3 = 0 \text{ and } |y'| \in \{0,1,2\}\}$*

Thus, $h(f(L) \cap ((\Sigma\Sigma\Sigma)^ g(\{\lambda\} \cup \Sigma \cup \Sigma\Sigma)) = \{x \mid xy' \in L \text{ and } |x| \bmod 3 = 0 \text{ and } |y'| \in \{0,1,2\}\}$.*

This is precisely $\mathbf{div3(L)}$ so CFLs are closed under $\mathbf{div3}$.

12 8. Consider the CFG $G = (\{ S, A, B \}, \{ a, b \}, R, S)$ where R is:

$S \rightarrow AB$

$A \rightarrow aA \mid a$

$B \rightarrow aBb \mid ab$

In the PDAs below, you may (and are encouraged) to use a transition diagram where transitions have arcs with labels of form $\mathbf{a}, \alpha \rightarrow \beta$ where $\mathbf{a} \in \Sigma \cup \{\lambda\}$, $\alpha, \beta \in \Gamma^*$. Note: This just means that you can use extended stack operations that push more than one symbol onto stack.

a.) Present a pushdown automaton that parses the language $L(G)$ using a top down strategy.

INITIAL CONTENTS OF STACK = $\$$

b.) Now, using the notation of **IDs** (Instantaneous Descriptions, $[q, x, z]$), describe how your PDA accepts strings generated by G .

$[q, w, S] \xrightarrow{*} [q, \lambda, \lambda]$

c.) Present a pushdown automaton that parses the language $L(G)$ using a bottom up strategy. Note: I am fine with your showing strings that are on top of the stack in either reversed or non-reversed form.

INITIAL CONTENTS OF STACK = $\$$

d.) Now, using the notation of **IDs** (Instantaneous Descriptions, $[q, x, z]$), describe how your PDA accepts strings generated by G .

$[q, w, \$] \xrightarrow{*} [f, \lambda, \lambda]$

9. Consider the context-free grammar $G = (\{S, A, B, C, D\}, \{a, b, c\}, R, S)$, where R is:

$$\begin{aligned} S &\rightarrow BC \mid AC \mid ABC \\ A &\rightarrow aA \mid \lambda \\ B &\rightarrow ABb \mid Bb \\ C &\rightarrow bCc \mid bc \\ D &\rightarrow bBc \mid Dc \mid \lambda \end{aligned}$$

3 a.) Remove λ -rules from G , creating an equivalent grammar G' . Show all rules. $Nullable = \{A, D\}$

$$\begin{aligned} S &\rightarrow BC \mid AC \mid ABC \mid C \\ A &\rightarrow aA \mid a \\ B &\rightarrow ABb \mid Bb \\ C &\rightarrow bCc \mid bc \\ D &\rightarrow bBc \mid Dc \mid c \end{aligned}$$

2 b.) Remove all **unit** rules from G' , creating an equivalent grammar G'' . Show all rules.

$$Chain(S) = \{S, C\}; Chain(A) = \{A\}; Chain(B) = \{B\}; Chain(C) = \{C\}; Chain(D) = \{D\}$$

$$\begin{aligned} S &\rightarrow BC \mid AC \mid ABC \mid bCc \mid bc \\ A &\rightarrow aA \mid a \\ B &\rightarrow ABb \mid Bb \\ C &\rightarrow bCc \mid bc \\ D &\rightarrow bBc \mid Dc \mid c \end{aligned}$$

2 c.) Remove all unproductive symbols, creating an equivalent grammar G''' . Show all rules.

$$Productive = \{S, A, C, D\}; Unproductive = \{B\}$$

$$\begin{aligned} S &\rightarrow AC \mid bCc \mid bc \\ A &\rightarrow aA \mid a \\ C &\rightarrow bCc \mid bc \\ D &\rightarrow Dc \mid c \end{aligned}$$

2 d.) Remove all unreachable symbols, creating an equivalent grammar G^{iv} . Show all rules.

$$\begin{aligned} Unreachable &= \{D\} \\ S &\rightarrow AC \mid bCc \mid bc \\ A &\rightarrow aA \mid a \\ C &\rightarrow bCc \mid bc \end{aligned}$$

3 e.) Convert grammar G^{iv} to its **Chomsky Normal Form** equivalent, G^v . Show all rules.

$$\begin{aligned} S &\rightarrow AC \mid \langle bC \rangle \langle c \rangle \mid \langle b \rangle \langle c \rangle \\ A &\rightarrow \langle a \rangle A \mid a \\ C &\rightarrow \langle bC \rangle \langle c \rangle \mid \langle b \rangle \langle c \rangle \\ \langle bC \rangle &\rightarrow \langle b \rangle C \\ \langle a \rangle &\rightarrow a \\ \langle b \rangle &\rightarrow b \\ \langle c \rangle &\rightarrow c \end{aligned}$$